Dart Aerospace Ltd. Monday, 1/8/2007 10:40:55 AM Date: Kim Johnston User: **Process Sheet** : TUBE ASSEMBLY Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 30133 : 10105 **Estimate Number** : NIA : D2003033 Part Number P.O. Number : UNDER REVIEW S.O. No. : N'A **Drawing Number** : 1/8/2007 This Issue Prsht Rev. : NC **Project Number** : N/A : NIA : SMALL /MED FAB Type First Issue **Drawing Revision** :NA : 25256 Material **Previous Run** : 2/5/2007 Qty: 5 Um: **Due Date** Written By Checked & Approved By Re-format EC Comment : Est Rev:B **Additional Product** Job Number: Description: Seq. #: 304 TUBING 1.0 Total: Comment: Qty.: 12.9570 f(s) -2-5914 f(s)/Unit Material:1/2"Æ x 0.035" wall AISI 304 SS tubing SMALL FAB 1 SMALL & MEDIUM FAB RESOURCE 1 2.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Form tube as per template D2003-033 3.0 QC5 Comment: INSPECT WORK TO CURRENT STEP 4.0 M26506 Firesleeve-crkl .375IDia Comment: Qty.: Total: 13.0148 f(s) 2.6030 f(s)/Unit Pick: Material: M2650-6 Heat sleeve

Sleeve

10.0000 Each(s)

Total:

m101189

5.0

Batch: M 10 3032

Part#

2.0000 Each(s)/Unit

MS20819-8J Sleeve

Desc

MS208198J

Qty

Comment: Qty.:

Each

Dart Aerospace Ltd

W/O:			WORK OR	DER CHANGES				
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspecto
							-	
			•					
		<u></u>						
Part No		1	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	1
				QA:	N/C Close	d:	Date:	

NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCR)				
		Description of NC		Corrective Action Section B	Verification		T		
DATE	STEP	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector
			·						
						,			
		rett V							
								100	
}						!			

NOTE: Date & initial all entries

Monday, 1/8/2007 10:40:56 AM Date: User: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: TUBE ASSEMBLY Job Number: 30133 Part Number: D2003033 Job Number: Seq. #: Description: **Machine Or Operation:** Nut 6.0 AN8188J Comment: Qty.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Part# Batch: Qty m 101189 AN818-8J D2182045 7.0 Heat Shrink 4.5" Long 5.0000 Each(s) Comment: Qty.: 1.0000 Each(s)/Unit Total: D2182-045 Heat Shrink 4.5" Long Batch: B 21864 8.0 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Cut: 304 Tubing 29.62" long as per Dwg D2003 07-01-18 2-Cut: Heat Sleeve 29.75" long as per Dwg D2003 07-01-18 3-Assemble as per Dwg D2003 9.0 QC5 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 10.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 11.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE CL07/01/19 Job Completion

Dart Ae	rospace	Ltd								
W/O:			WC	ORK ORDER CHA	NGES					
DATE	STEP	PRO	CEDURE CHA	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
Part No	:	PAR #:	Fault Cate	gory:	NCI	R: Yes 1	10 DQ	A:	_ Date: _	
						QA: N/	C Close	d:	_ Date: _	
NCR:		V	VORK ORDI	ER NON-CONFOR	RMANCE	(NCR)			
D.4.T.F	0750	Description of NC		Corrective Action	Section B		Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descripti Chief Eng	Sign & Date	Section C		Chief Eng	QC Inspector	
				·						·
								;		
							}			

NOTE: Date & initial all entries





	V									
DESIG	4)	DRAWN BY	DART AEROSPACE LTD							
	/		HAWKESBURY, ONTARIO, CANADA							
CHEC	SP	APPROMED	DRAWING NO. REV. B							
4	16	1 44	D2003 SHEET 1 OF 2							
DATEV	1		TITLE SCALE							
 99.0	80.60		206 CABIN HEATER TUBE ASSEMBLIES NTS							
Α		90.04.09	NEW ISSUE							
В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)							

NOTE: FLAT LENGTHS MAY BE UNDER REVIEW
INCORRECT. SENS TO BENT CO. 08.21 CB TOOL. REPORT TO ENGINEERING CBI lengths wrong


some flat 06.12.13


Cicles Note	PERCI IN	TIOC (M	~ F & 110 C									
on cont	ECT FLAT			SLEEVE	_	SLEEVE	_	SLEEVE	ļ 			
		HEATSLEEVE LENGTH	CUT LENGTH OF TUBE ²	MS20819-8J S	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D	AN818-6D NUT			
		A Z	5 5	122	2	122	2	S2	2			VENDOR OR
P/N	TEMPLATE	===	00	2	<	2	4	≥	< <	DESC.	MATERIAL 4/6/7	SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.31	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54	-				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5.33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60			2	2			TUBE ASS'Y	6061-T6 0,500 OD x 0,035 W	WW-T-700/6
D2003-027	T2003-027	7.25	7.38			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	T2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y.	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	T2003-111	4.75	4.625			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0								HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	T2003-14	4.0								HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0								HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-205	9.75	9.60					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W ₃₃	ODWW77-700/6
											R	ETURNITO
												

ENGINEER UNCONTROLLED COPK









Ob. 08.27 (B) Some flat lengths wrong

Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0.049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

